

VA DN 15÷50

PVC-U

Air release valve





VA **DN 15÷50**

The purpose of the VA air release is to eliminate any air entering the pipe with the liquid.

AIR RELEASE VALVE

- Connection system for solvent weld and threaded joints
- No metal parts in contact with the fluid
- Can be used as a vacuum breaker valve when installed with the nut at the bottom
- Valve material compatibility (PVC-U) with water, drinking water and other food substance conveyance according to current regulations
- Can be maintained with the valve body installed

| Technical specifications | | | | | |
|---|---|--|--|--|--|
| Construction | Air release valve | | | | |
| Size range | DN 15 ÷ 50 | | | | |
| Nominal pressure | PN 16 with water at 20 °C | | | | |
| Temperature range | 0 °C ÷ 60 °C | | | | |
| Coupling standards Reference standards | Solvent welding: EN ISO 1452, EN ISO 15493, BS 4346-1, DIN 8063, NF T54-028. Can be coupled to pipes according to EN ISO 1452, EN ISO 15493, DIN 8062, NF T54-016. | | | | |
| | Thread: ISO 228-1, DIN 2999. Construction criteria: EN ISO 16137 EN ISO 1452, EN ISO 15493 | | | | |
| | Test methods and requirements: ISO 9393 | | | | |
| | Installation criteria: DVS 2204, DVS 2221, UNI 11242 | | | | |
| Valve material | PVC-U | | | | |
| Seal material | EPDM | | | | |

TECHNICAL DATA

PRESSURE VARIATION ACCORDING TO TEMPERATURE

For water and non-hazardous fluids with regard to which the material is classified as CHEMICALLY RESISTANT. In other cases, a reduction of the nominal pressure PN is required (25 years with safety factor).



The information in this leaflet is provided in good faith. No liability will be accepted concerning technical data that is not directly covered by recognised international standards. FIP reserves the right to carry out any modification. Products must be installed and maintained by qualified personnel.

DIMENSIONS



VAIV

Air release valve with male ends for solvent welding, metric series

| d | DN | PN | E | Н | L | 4 | Z | g | Code |
|----|----|----|-----|-----|----|----|-----|-----|----------|
| 20 | 15 | 16 | 55 | 103 | 16 | 18 | 87 | 105 | VAIVO20E |
| 25 | 20 | 16 | 66 | 125 | 19 | 20 | 106 | 185 | VAIV025E |
| 32 | 25 | 16 | 75 | 150 | 22 | 24 | 128 | 280 | VAIV032E |
| 40 | 32 | 16 | 87 | 171 | 26 | 28 | 145 | 415 | VAIVO40E |
| 50 | 40 | 16 | 100 | 187 | 31 | 34 | 156 | 570 | VAIV050E |
| 63 | 50 | 16 | 122 | 223 | 38 | 41 | 185 | 950 | VAIV063E |



VAFV

Air release valve with BSP threaded female ends

| R | DN | PN | Е | Н | L | Z | g | Code |
|--------|----|----|-----|-----|------|-------|------|----------|
| 1/2" | 15 | 16 | 55 | 124 | 15 | 94 | 120 | VAFV012E |
| 3/4" | 20 | 16 | 66 | 149 | 16,3 | 116,4 | 205 | VAFV034E |
| 1" | 25 | 16 | 75 | 175 | 19,1 | 136,8 | 360 | VAFV100E |
| 1" 1/4 | 32 | 16 | 87 | 200 | 21,4 | 157,2 | 475 | VAFV114E |
| 1" 1/2 | 40 | 16 | 100 | 209 | 21,4 | 166,2 | 670 | VAFV112E |
| 2" | 50 | 16 | 122 | 248 | 25,7 | 196,6 | 1130 | VAFV200E |

COMPONENTS

EXPLODED VIEW



- Body (PVC-U 1)
- 2 Piston (PVC-U - 1)
- End connector (PVC-U 1)
- Union nut (PVC-U 1)
- 5 O-Ring (EPDM 1)*
- Piston gasket (EPDM 1)*

* Spare parts
The material of the component and the quantity supplied are indicated between brackets

DISASSEMBLY

- 1) Isolate the valve from the fluid and empty the entire line upstream.
- 2) Unscrew the union nut (4).
- 3) Remove the end connector (3) and O-ring (5).
- 4) Remove the piston (2) and relative seal (6).

ASSEMBLY

- 1) Position the O-ring (5) and piston gasket (6) in their seatings.
- 2) Insert the piston (2) in the body (1).
- 3) Position the end connector (3).
- 4) Tighten the union nut (4).



Note: during assembly operations, it is advisable to lubricate the rubber seals. Mineral oils are not recommended for this task as they react aggressively with EPDM rubber.

INSTALLATION

The FIP air release valve must always be installed in a vertical position with the union nut at the top, as shown in fig.1.

