

Adduzione acqua sanitaria in PP-R

 wefatherm





Tubi e raccordi in polipropilene random


aliaxis





Tubo in barre da 4 mt. SDR 6 PN 20

Ø (mm)	Codice	 (mt)	 (mt)	Note
20 X 3,4	QT820RH	100	5.000	
25 X 4,2	QT825RH	100	3.000	
32 X 5,4	QT832RH	40	2.160	
40 X 6,7	QT840RH	40	1.400	
50 X 8,4	QT850RH	20	840	
63 X 10,5	QT863RH	20	600	



Curva di sorpasso

Ø (mm)	Codice	 (mt)	 (mt)	Note
20	Q7520RH	10	4.000	
25	Q7525RH	10	2.400	





Sorpasso compatto F/F

Ø (mm)	Codice	 (mt)	 (mt)	Note
20	QSC20RH	10	4.800	



Gomito a 45° M/F

Ø (mm)	Codice	 (mt)	 (mt)	Note
20	Q1220RH	10	10.000	
32	Q1232RH	10	4.000	





Curva ampio raggio

Ø (mm)	Codice	 (mt)	 (mt)	Note
20	Q7420RH	150	6.000	



Gomito 90° Femmina

Ø (mm)	Codice	 (mt)	 (mt)	Note
20	Q2420RH	10	12.000	
25	Q2425RH	10	8.000	
32	Q2432RH	10	4.800	
40	Q2440RH	5	2.400	
50	Q2450RH	5	1.200	
63	Q2463RH	15	600	



Gomito 90° filettato Femmina

Ø (mm)	Codice			Note
20X1/2"	QG220RH	10	3.200	
20X3/4"	QG320RH	10	4.000	
25X1/2"	QG225RH	10	5.600	
25X3/4"	QG325RH	10	4.800	



Gomito 90° filettato Maschio

Ø (mm)	Codice			Note
20X1/2"	QC220RH	10	4.800	
25X1/2"	QC225RH	10	4.800	
25X3/4"	QC325RH	10	4.000	



Gomito 90° filettato Femmina con staffa

Ø (mm)	Codice			Note
20X1/2"	QS220RH	10	4.000	
25X1/2"	QS225RH	10	4.000	



Gomito 45° Femmina

Ø (mm)	Codice			Note
20	Q2320RH	10	12.000	
25	Q2325RH	10	8.000	



Raccordo a T filettato Femmina

Ø (mm)	Codice			Note
20X1/2"	QT220RH	10	4.800	
25X1/2"	QT225RH	10	4.000	
25X3/4"	QT325RH	10	3.200	





Raccordo a T Femmina

Ø (mm)	Codice			Note
20	Q4520RH	10	8.000	
25	Q4525RH	10	4.800	
32	Q4532RH	10	3.200	
40	Q4540RH	5	1.600	
50	Q4550RH	5	800	
63	Q4563RH	1	600	





Raccordo a T ridotto Femmina

Ø (mm)	Codice			Note
25X20X25	Q3125RH	10	6.000	
32X20X32	Q3232RH	10	3.200	
32X25X32	Q3132RH	10	3.200	
40X20X40	Q3340RH	5	1.600	
40X25X40	Q3225RH	5	1.600	
40X32X40	Q3140RH	5	1.600	
50X32X50	Q3250RH	5	800	
50X40X50	Q3150RH	5	800	
63X50X63	Q3163RH	1	600	



Manicotto Femmina



Ø (mm)	Codice			Note
20	Q6120RH	10	14.000	
25	Q6125RH	10	12.000	
32	Q6132RH	10	6.000	
40	Q6140RH	5	4.000	
50	Q6150RH	5	2.400	
63	Q6163RH	1	1.200	



Calotta di chiusura Femmina



Ø (mm)	Codice			Note
20	Q6620RH	10	16.000	
25	Q6625RH	10	12.000	
32	Q6632RH	10	8.000	
40	Q6640RH	5	4.000	
50	Q6650RH	5	2.000	
63	Q6663RH	1	1.600	



Riduzione concentrica M/F



Ø (mm)	Codice			Note
25X20	Q9125RH	10	12.000	
32X20	Q9232RH	5	8.000	
32X25	Q9132RH	10	8.000	
40X32	Q9140RH	5	4.000	
50X40	Q9150RH	5	3.200	
63X50	Q9163RH	1	1.600	

Carota ripara fori



Ø (mm)	Codice			Note
7/11	QA400RH	10	-	



Manicotto elettrico

Ø (mm)	Codice			Note
20	QME20RH	1	960	
25	QME25RH	1	1.200	



Tipo A: dal Ø20 al Ø25



Tipo B: Ø 32

Giunto filettato Femmina

Ø (mm)	Codice			Note
20x1/2"	QF220RH	10	8.000	
25x3/4"	QF325RH	10	6.400	
32x1"	QF432RH	5	2.400	



Tipo A: dal Ø20 al Ø25



Tipo B: Ø 32

Giunto filettato Maschio

Ø (mm)	Codice			Note
20X1/2"	QM220RH	10	6.400	
25X3/4"	QM325RH	10	4.800	
32X1"	QM432RH	5	3.200	



Tappo prova impianti

Ø (mm)	Colore	Codice		
20 x 1/2"	BLU	QTC20RH	25	4.800
20 x 1/2"	ROSSO	QTC22RH	25	4.800
20 x 3/4"	BLU	QTC25RH	20	12.800



Rubinetto vitone tipo A

Ø (mm)	Codice			Note
20	QR220RH	1	1.200	



Prolunga per rubinetto

Ø (mm)	Codice			Note
3/4"	QRD25RH	1	1.600	



Cappuccio con rosone

Ø (mm)	Codice			Note
3/4"	QRR99RH	1	480	