



Accessori e colle





Guarnizioni tecniche 1" = 26 mm 1" 1/4 = 32 mm 1" 1/2 = 40 mm

Ø (mm)	Ø1 (mm)	Ø2 (mm)	Codice	€/pz			L (mm)	Note
32	1"	37	6820300	1,96	50	24.000	13	
40	1"	46,5	6820400	1,96	50	12.000	18	
40	1" 1/4	46,5	6820401	1,96	50	12.000	18	
50	1"	55	6820502	2,34	50	6.000	19	
50	1" 1/4	56	6820500	2,34	50	6.000	19	
50	1" 1/2	55	6820501	2,34	50	6.000	19	



Sifone Redi A-N (O-Ring) predisposto per la ventilazione Ø40

DN (mm)	Codice	€/pz			Note
110	1750052	94,17	5	35	



Raccordo di passaggio ghisa-PP

DN (mm)	DN ghisa (mm)	Codice	€/pz			L (mm)	L1 (mm)	Note
50	72	Z6861PP*	8,72	20	1.280	140	70	
75	92	Z6862PP*	10,89	20	1.280	142	71	
110	124	Z6863PP	16,75	15	480	158	83	


*su richiesta





Curva 87°30' PP (con attacco laterale a 45°)

Mod.	DN (mm)	DN1 Attac. (mm)	Codice	€/pz			L (mm)	L1 (mm)	L2 (mm)	L3 (mm)	h (mm)	Z1 (mm)	α
DX	110	40	Z2304PP*	17,92	20	160	161	66	68	87	138	88	45°
SX	110	40	Z2340PP*	17,92	20	160	161	66	68	87	132	88	45°
SX	110	50	Z2350PP*	19,30	20	160	161	61	68	90	132	90	45°

*su richiesta



Curva 87°30' PP (con due attacchi laterali a 45°)



Mod.	DN (mm)	DN1 Attac. (mm)	Codice	€/pz			L (mm)	L1 (mm)	L2 (mm)	L3 (mm)	h (mm)	Z1 (mm)	α
SX-DX	110	40	Z2344PP*	25,50	20	160	161	66	68	87	132	88	45°
SX-DX	110	50	Z2355PP*	26,81	20	160	161	61	68	90	132	90	45°

*su richiesta



Rosone



d1 (mm)	d2 (mm)	Codice	€/pz			h (mm)	Note
90	-	0480903	7,96	20	1.620	-	Colore Bianco
100	-	0481003*	7,96	20	1.620	-	Colore Bianco
110	150	0481103	8,89	50	1.200	28	Colore Bianco

*su richiesta

Tappo tecnico multiplo




DN (mm)	Codice	€/pz			h (mm)	Note
40-46-50-60	OTAMUPP	1,40	1	9.600	37,5	

Tappo di protezione per pozzetto a pavimento




DN (mm)	Codice	€/pz			Note
100	T651000	1,38	20	2.000	




Aumento concentrico compatto

DN (mm)	DN1 (mm)	DN2 (mm)	Codice (Nero)	€/pz			H (mm)	H1 (mm)	S (mm)	Note
110	160	166	0686348	13,91	16	384	69,5	57	4	




(A)

(B)




Raccordo di passaggio PVC-PP (Aumento M/F con Guarnizione)

Mod.	DN F (mm)	DN1 M (mm)	Codice	€/pz			L (mm)	L1 (mm)	Materiale	Note
A	40	40	063558M	5,30	10	2.600	73	52	PVC	
A	50	50	063568M	7,42	40	2.080	83	52	PVC	
A	125	125	D501212	19,71	25	200	-	-	PVC	
B	63	75	053075M	8,33	40	960	-	-	PVC	
B	75	80	Z6868PP	12,00	20	640	190	78,5	PVC	
B	75	100	0503312	15,48	50	400	-	-	PVC	
B	90	100	0531012	15,48	20	480	-	-	PVC	
B	90	110	0531152	15,49	20	480	132	80	PVC	
B	100	110	Z5331PP	10,00	15	480	123	66	PP	
B	100	110	0533152	10,00	18	432	-	-	PVC	
B	110	125	0513252	13,50	35	280	190	91	PVC	Eccentrico



Curva di passaggio PP-PVC M/F (con Guarnizione)

α	DN PP (mm)	DN PVC (mm)	Codice	€/pz			Z1 (mm)	Z2 (mm)	Note
15°	110	100	01011R2	14,00	15	360	15	15	PVC
45°	110	100	0041552	12,50	15	360	32	32	PVC
87°	110	100	07111R2	14,00	10	240	51	66	PVC




(A)

(B)



Raccordo di passaggio PP-PVC (Riduzione M/F con Guarnizione)

Mod.	DF (mm)	DM (mm)	Codice	€/pz			Z1 (mm)	Z2 (mm)	L (mm)	L1 (mm)	Mat.	Note
A	75	63	0930712	8,68	15	780	-	-	-	-	PVC	O-Ring
A	80	75	0930812	14,13	20	1.040	-	-	-	-	PVC	O-Ring
A	100	90	M1TSGNI	12,00	20	600	-	-	-	-	PVC	O-Ring
A	110	90	0520952	13,27	20	480	67	10	148	90	PVC	O-Ring
A	110	100	0521152	10,82	18	432	67	10	148	90	PVC	O-Ring
A	125	100	0931212	17,02	15	360	77	18	172	102	PVC	O-Ring
A	125	110	D931112	17,96	15	210	-	-	-	-	PVC	O-Ring
B	110	100	Z6922PP	16,06	20	320	-	-	-	-	PP	Prolungato O-Ring



Giunti di passaggio (Riduzione M/F ad Incollaggio)

Mod.	DF (mm)	DM (mm)	Codice	€/pz			Note
B	100	90	1790902	13,00	1	840	
A	125	100	1791102	34,63	6	-	
A	125	110	1792202	42,94	10	100	
A	140	110	1795502	68,75	8	-	
A	160	110	1797702	83,76	6	60	
A	160	125	1798802	86,71	6	60	


Guarnizione a labbro



DN (mm)	Codice	€/pz			h (mm)	Note
32	7803000	0,61	1	50	6	
40	6830400	0,53	1	40.768	7,8	
50	6830500	0,58	1	29.568	7,8	
63	6800600	0,74	1	1.500	-	
75	6830700	0,74	1	13.970	7,8	
82	6808200*	1,39	1	100.000	7,8	OR sezione tonda
90	6800900	1,39	1	9.256	-	
100	6831000	1,39	1	7.452	-	
100	6801000*	1,39	1	12.000	-	OR sezione tonda per giunti scorrevoli
110	6831100	1,39	1	5.220	9,9	
125	6831200	1,97	1	3.600	10,2	
160	6831600	2,77	1	2.016	11,5	
200	6832000	3,04	1	1.152	-	
250	6832500	5,84	1	1.008	-	
315	6833100	8,57	1	810	-	
400	6834000	17,24	1	400	-	
500	6835000	40,77	1	250	-	

*su richiesta

Collare fermatubo in acciaio zincato



DN (mm)	Codice	€/pz			Ø vite congiunzione	Ø tassello
40	ZCA40PP	7,05	50	1.800	Ø10 x 100	Ø14 x 80
50	ZCA50PP	7,61	50	1.800	Ø10 x 100	Ø14 x 80
75	ZCA75PP	8,54	50	1.800	Ø10 x 120	Ø14 x 80
90	ZCA90PP	9,17	50	1.800	-	-
110	ZCA11PP	9,67	2	1.440	Ø10 x 120	Ø14 x 80
125	ZCA12PP	10,55	30	1.080	Ø10 x 120	Ø14 x 80
160	ZCA16PP	13,27	10	360	Ø10 x 140	Ø14 x 80



Raccordo dritto in PE con dado girevole in ottone

DN (mm)	Codice	€/pz			Note
40 - 1"1/4	ZP114PP	14,61	20	1.280	
40 - 1"1/2	ZP112PP	16,19	20	1.280	



Raccordo curvo in PE con dado girevole in ottone

DN (mm)	Codice	€/pz			Note
40 - 1"1/4	ZP214PP	14,31	20	1.280	
40 - 1"1/2	ZP212PP	15,56	20	1.280	



Collegamento Piombo/PVC-PP-PE a stringere

DN piombo (mm)	DN PVC-PP-PE	Codice	€/pz			Colore	Note
32	32	M6103FG	8,12	20	2.560	Grigio	
35	40	M6104FG	8,12	10	2.560	Bianco	

Corpo in polipropilene
Bloccaggio con ghiera e guarnizione



Collegamento Piombo/PVC-PP a stagnare

DN (mm)	Codice	€/pz			Note
32	C170300	13,21	10	8.100	
40	C170400	14,14	10	2.400	
50	C180500*	14,69	10	3.240	

*su richiesta




Ghiera di passaggio

Ø F M	Codice	€/pz			Note
1"1/4x1"1/2	M6704FG	2,48	50	8.100	Aumento
1"1/2x1"1/4	M6733FG	4,73	25	8.100	Riduzione

Collare isofonico standard



DN (mm)	Codice	€/pz			Note
50	AV00500	12,17	2	1.800	
75	AV00700	12,64	2	720	
90	AV00900	16,06	2	720	
100	AV01000	16,06	2	720	
110	AV01100	17,10	2	720	
125	AV01200	21,24	2	720	
160	AV01600	36,42	10	360	



Phonoklip, collare acustico in materiale plastico

DN (mm)	Codice	€/pz			Filetto Ø	L (mm)	I (mm)	Note
50	PHONK50	12,42	10	-	M8	76	78	
75	PHONK75	13,02	10	1.920	M8	112	111	
90	PHONK90	16,66	10	-	M8	144	131	
100	PHONK10	17,10	10	-	M7	160	140	
110	PHONK11	18,13	10	800	M8	171	150	
125	PHONK12	29,23	2	-	M10	213	170	
160	PHONK16	42,53	24	192	M10	245	213	

Viti di fissaggio non incluse



Collari tagliafuoco (EN 1366-3 e ETAG 026-2)

DN (mm)	Codice	€/pz			S (mm)	Note
40	K0096PE*	73,74	1	960	30	Ideale anche su Ø32
50	K0088PE*	73,74	1	960	30	
63	K0097PE*	98,79	1	960	30	
75	K0089PE*	104,22	1	960	30	
90	K0090PE*	124,18	1	960	30	
110	K0091PE	144,13	1	960	30	ideale anche su Ø100
125	K0092PE*	172,96	1	960	45	
160	K0095PE*	287,11	1	640	45	

*su richiesta



Calza disaccoppiante isofonica

DN (mm)	DN tubo (mm)	Lunghezza rotolo	Codice	€/Rotolo			S (mm)	Note
80	75 - 80 - 90	15 metri	CD08500	89,37	6	12	5	
110	100 - 110	15 metri	CD11500	96,15	5	10	5	
110	100 - 110	15 metri	CD11100	196,22	5	-	10**	

** Spessore maggiorato



Lubrificante

Confez.	Peso (gr.)	Codice	€/pz			Note
Tubetto	150	6741500	8,06	50	1.500	
Tubetto	250	6742500	9,45	50	1.000	
Barattolo	500	6745000	15,48	12	576	
Barattolo	1.000	6746000	20,12	9	216	



Colla per PVC (THF free)

Confez.	Codice	€/pz			Note
Colla in tubetto 125 ml	COLLA12	9,34	30	1.920	
Colla in barattolo con pennello 250 ml	COLLA25	14,82	36	1.296	
Colla in barattolo con pennello 500 ml	COLLA50	26,50	24	720	
Colla in barattolo con pennello 1000 ml	COLLA00	45,44	12	432	



Detergente

Confez.	Peso (gr.)	Codice	€/pz			Note
Lattina	1 litro	6721100	35,10	8	384	